

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau

ZIPO OMPI

| 1331 | 201 | 134 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |

(43) International Publication Date 28 February 2002 (28.02.2002)

PCT

(10) International Publication Number WO 02/15690 A1

(51) International Patent Classification⁷: A01N 33/18 // (A01N 33/18, 25:04)

(21) International Application Number: PCT/EP01/09787

(22) International Filing Date: 24 August 2001 (24.08.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/228,316

25 August 2000 (25.08.2000) US

(71) Applicant: BASF AKTIENGESELLSCHAFT [DE/DE]; 67056 Ludwigshafen (DE).

(72) Inventors: FAFCHAMPS, Jean-Paul; 2450, route de Wylder, F-59380 Quaedypre (FR). VILLANUEVA, Jean-Michel; Residence L'Alpage, 125, chemin des Horts de la Salle, F-06250 Mougins (FR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



15690 /

(54) Title: CONTINUOUS PROCESS FOR THE PREPARATION OF A STABLE HERBICIDAL AQUEOUS SUSPENSION CONCENTRATE COMPOSITION

(57) Abstract: The present invention provides a continuous process for the preparation of a stable aqueous suspension concentrate composition of pendimethalin, alone or in combination with another pesticide, which comprises mixing a molten stream of pendimethalin with a cold aqueous stream containing coformulants plus seed crystals of orange pendimethalin.

CONTINUOUS PROCESS FOR THE PREPARATION OF A STABLE HERBICIDAL AQUEOUS SUSPENSION CONCENTRATE COMPOSITION

5

BACKGROUND OF THE INVENTION

Stable aqueous suspension concentrate compositions of pendimethalin, alone or in combination with a secondary herbicide, and methods for their preparation are described in US 5,624,884. However, the methods so described are 2-step methods wherein the first step is the formation of a hot aqueous emulsion of molten pendimethalin and the second step is the cooling of Said emulsion to crystallize the pendimethalin and form an aqueous suspension to concentrate. Optionally, a third milling step may be added. The discreet steps of forming a hot emulsion, then cooling said emulsion and optionally milling said cooled emulsion, entail a nonintegrated batch procedure. That is the desired product must be produced in discreet batches of a fixed quantity and the process must begin, end and start again, repeatedly. Such batch processes, when producing quantities an a manufacturing scale can be time-consuming, and labor and energy intensive.

Therefore, it is an object of this invention to provide a Single-25 step continuous process suitable for the preparation of a stable herbicidal aqueous suspension concentrate composition an a manufacturing scale.

It is an advantage of this invention that said stable herbicidal 30 compositions may be prepared efficiently and effectively with reduced time, labor and energyresources.

SUMMARY OF THE INVENTION

35 The present invention provides a process for the preparation of ,an aqueous suspension concentrate composition which comprises mixing a molten pendimethalin stream having a temperature of about 57°t°75°C with an aqueous stream containing coformulants plus seed crystals of orange pendimethalin said aqueous stream having 40 a temperature of about -3°C to 5°C.

DETAILED DESCRIPTION OF THE INVENTION

Pendimethalin is a low-melting dinitroaniline herbicide useful in 45 agricultural, horticultural and turf applications. In its solid form, pendimethalin exists primarily in two polymorphic forms, generally referred to as the orange form and the yellow form. It

is known that compositions containing crystalline pendimethalin in 100% of the orange form or in a ratio of 96:4 of the orange form to the yellow form demonstrate enhanced stability. However, control of the poylmorph ratio of pendimethalin in a process involving the conversion of molten pendimethalin to solid pendimethalin is known to be difficult. US 5,624,884 describes stable aqueous suspension concentrate compositions of pendimethalin and methods for their preparation. However, said methods require a two-step procedure which necessitates a batch production effort.

Surprisingly it has now been found that a stable aqueous suspension concentrate composition of pendimethalin may be prepared in a continuous Single-step procedure which comprises the high shear mixing of a molten pendimethalin stream, having a 15 temperature of about 57° to 75°C, with an aqueous stream containing coformulants plus seed crystals of orange pendimethalin, said aqueous stream having a temperature of about -3°C to 5°C. Advantageously, the process of the invention instantaneously and continuously generates a cool stable aqueous suspension of fine, regular, orange crystals of pendimethalin. The process of the invention may be run continuously by any conventional means such as an in-line high shear disperser/homogenizer. Alternatively, the

herbicidal aqueous suspension concentrate composition produced by 25 the process of the invention may optionally be milled to obtain an average particle size of suspended particles of less than 5-20 microns.

process may be run in batch fashion, if so desired. The stable

The process of the invention may also be used to prepare stable 30 aqueous suspension concentrate compositions containing pendimethalin in combination with one or more pesticides which are low-melting or watersoluble. For example, an additional water-soluble pesticide may be included in the cooled aqueous stream, prior to the mixing of the two streams.

35

10

Compositions produced by the process of the invention typically comprise an a weight to volume basis, about 5.0% to 50.0% pendimethalin; about 0% to 50.0% of one or more additional pesticides which are water soluble; about 3.0% to 30.0% of coformulants,

40 such as surfactants, dispersing agents, wetting agents, antifreeze agents, antifoam agents, suspending agents, thickeners, preservatives or the like; and about 20.0% to 92.0% water.

As used in the specification and claims, the term coformulant de-45 signates an ingredient such as: a watersoluble pesticide, i.e. a herbicide, fungicide, insecticide, plant growth regulant, or the like; an antifreeze agent, i.e. ethylene glycol, propylene

3

glycol, glycerine, urea, or the like; an antifoam agent, i.e. silicon, or the like; a suspending agent, i.e. silica, MgS04, or the like; a thickener, i.e. clay, polyvinyl alcohol, polyvinyl-pyrrolidone, polyacrylamide, or the like; a preservative, i.e.

5 formaldehyde, methyl or propyl parahydroxybenzoate, sodium benzoate, or the like; a surfactant such as a dispersing agent, a wetting agent or the like; or any standard inert ingredient conventionally used in agricultural suspension concentrate compositions.

10

Water-soluble pesticides contemplated for use in the process of the invention include herbicides, for example: quaternary salts of amino phosphpnic or phosphinic acids such as glyphosate, glufosinate, or the like; substituted phenoxy or benzoic acid salts such as 2,4-D, 2,4-DB, MCPP, MCPA, dicamba, chloramben, or the like; imidazolinones such as imazaquin, imazethapyr, imazamox, imazapic, imazapyr, or the like; or any of the known water-soluble herbicidal agents which possess physical/chemical properties known to be amenable to the preparation of aqueous suspension concentrate compositions. Fungicides, insecticides or plant growth regulants which are water-soluble and possess physical/chemical properties which are amenable to the preparation of aqueous suspension concentrate compositions are also contempla-

25

ted.

Surfactants (including dispersing agents and wetting agents) suitable for use as a coformulant in the process of the invention include: ethylene oxide/propylene oxide condensates; alkylarylor arylarylethoxylates or derivatives thereof; lignosulfonates;

30 cresolor naphthalene-formaldehyde condensates or the sulfonates thereof; polycarboxylates or derivatives thereof; or mixtures thereof. Preferred surfactants are: anionic polymerics, such as mixtures of alkylarylor or arylarylethoxylates or their derivatives; cresol formaldehyde condensates or their sulfonates; naphalene formaldehyde condensates or their sulfonates; or lignosulfonates. More preferred surfactants are mixtures of alkyl, arylor and arylarylethoxylates or their derivatives.

Accordingly, stable aqueous suspension concentrate compositions

40 of pendimethalin may be prepared by highshear mixing of a stream of molten pendimethalin having a temperature of about 57° to 75°C with an aqueous stream containing co-formulants plus orange pendimethalin seed crystals said aqueous stream having a temperature of about -3° to 5°C. In actual prac~ice, a molten stream of technical pendimethalin at 57° to 75°C is continuously fed into a high-shear disperser/homogenizer simultaneously with an aqueous stream containing coformulants and about 16-24% of orange pendi-

4

methalin seed crystals, the aqueous stream having been pre-cooled to temperatures of about -3°C to 5°C to produce a continuous exit stream of a stable aqueous suspension concentrate composition of pendimethalin. By continuously, simultaneously feeding and mixing 5 the molten pendimethalin and cooled aqueous streams in an in-line disperser/homogenizer while continuously discharging the resulting orange suspension concentrate composition, the process of the invention facilitates optimum production with significantly increased conservation of time, labor and energy resources. Optionally, the thus-produced suspension concentrate may be beadmilled at 20-29°C to achieve a particle size of less than 5-20 microns.

Water-soluble pesticides may be co-formulated with pendimethalin
15 using the process of the invention by dissolving said pesticide
in the aqueous stream containing coformulants plus orange pendimethalin seed crystals prior to mixing with the molten pendimethalin stream.

20 Beneficially, compositions produced by the process of the invention do not form large, elongated crystals after being processed. Therefore, processing and manufacturing is not halted because of aggregation due to crystal growth. Further, the agronomic application and efficacy of the suspension concentrate product is not hampered nor compromised by uneven particle size, sedimentation, or crystal growth.

For a more clear understanding of the invention, the following examples are set forth below. These examples are merely illustrative and are pot understood to limit the scope or underlying principles of the invention in any way. Indeed, various modifications of theinvention, in addition to those shown and described-gerein, will become apparent to those skilled in the art from the following examples and the foregoing description. Such modifications are also intended to fall within the scope of the appended claims.

Unless otherwise noted, all parts are parts by weight.

40 Examples 1-7

Preparation of Stable Aqueous Suspension Concentrate

Compositions of Pendimethalin

An aqueous stream containing coformulants and 16-24 % of orange crystalline pendimethanlin is pre-cooles to temperatures of -3°C to 5°C and mixed in a high-shear disperser/homogenizer with a stream of molton pendimethalin at temperatures of 57°C to 75°C to yield a concentrated aqueous suspension of orangecrystalline pendimethalin.

Using the above procedure, the anqueous suspension concentrate compositions shown on Table I are obtained.

TABLE I

Pendimethalin 30.0 33.0 40.0 40.0 40.0 40.0 33.0 Imazaguin Imazaguin 5.0 -	COMPOSITION	1	2	3	4	5	9	7
te		30.0	33.0	40.0	40.0	40.0	40.0	33.0
ted 4.2		5.0	L	1	Į	1	ı	1
ted -	dehyde condensate	1	1	1	4.7	1	1	1
laryl- - 3.4 - - - - - - 4.0 - - - - 4.8 -	dehyde sulphonated	1	l	4.2	1	1	ı	4.2
7.4 *.0	salt of polyarylaryl- hate	1	3.4	1		ı	ı	I
7.4 * - - - - - rivative - - - - - 3.0 a 0.75 - - - - - a 0.75 - - - - - a 0.75 - - - - - a 0.25 - - - - 0.5 b 0.25 0.25 0.25 0.25 - 0.5 c 0.5 0.1 0.5 0.9 0.3 1.0 ylene condensate 8.0 8.0 8.0 - - - 5.0 ylene condensate 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8	te	4.0	1	1	1	4.8		
rivative - - - - - - 3.0 a 0.75 - - - - - - a 0.75 - - - - - - e 0.25 - - - 0.5 0.5 0.5 f 0.5 0.1 0.5 0.25 0.25 - 0.5 0.5 f 0.5 0.1 0.5 0.9 0.3 1.0 - 5.0 g 0.5 0.1 0.5 0.9 0.3 1.0 - 5.0 ylene condensate 0.8	н 7.4	*	ı	1	1	1	1	1
a 0.75	derivative	1	l	1	1	1	3.0	1
a 0.75 - - - - - - - - - - - - - - - 0.25 0.25 0.25 0.25 0.25 0.25 0.25 - 0.5 0.25 - 0.5 0.25 - - 0.5 0.25 - - 0.5 0.25 - - 0.5 0.25 - - 0.5 0.25 - - 0.5 0.25 - - 0.5 0.25 - - 0.5 0.25 - - - 0.5 0.25 - - 0.5 0.5 0.25 - - - 0.5 0.5 0.25 - - - 0.5 0.5 0.3 1.00 - <	-	-	1	1	1	1	1	
0.1 0.1 0.1 0.1 0.2 0.2 0.2 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.0 0.5 0.0 0.5 0.0 0	ica	0.75	_	1	1	1	1	1
0.25 - - - 0.55 0.25 0.25 0.25 0.25 0.25 0.25 - - 0.5 -		0.1	0.1	0.1	0.1	0.1	0.2	0.16
ylene condensate 0.25 0.25 0.25 0.25 0.25 0.25 - 0.5 0.1 0.5 0.9 0.3 1.0 8.0 8.0 8.0 - - 5.0 ylene condensate 0S 0S 0S 0S 0S	₽₽	0.25	1	1	1	1	0.5	0.4
9.5 0.1 0.5 0.9 0.3 1.0 8.0 8.0 - - 5.0 ylene condensate 0.3 0.3 0.3 0.3 0.3 ylene condensate 0.5 0.5 0.9 0.5 0.5 0.5		,	0.25	0.25	0.25	0.25	1	1
8.0 8.0 - - 5.0 ate 0.8 0.8 0.8 0.8 0.8 0.5 0.5 0.5 0.5 0.5 0.5	am	0.5	0.1	0.5	6.0	0.3	1.0	0.3
ate QS QS QS QS QS		8.0	8.0	8.0	ı	ì	5.0	l.
ate								
sõ sõ sõ sõ	opylene condensate							
		SÕ	SÕ	SÕ	sõ	SÕ	sŏ	ŏs

*QS = Quantity Sufficient to total 100 %

7

WHAT IS CLAIMED IS:

 A process for the preparation of a stable aqueous suspension concentrate composition which comprises mixing a molten pendimethalin stream having a temperature of about 57° to 75°C with an aqueous stream containing coformulants plus seed crystals of orange pendimethalin said aqueous stream having a temperature of about -3°C to 5°C.

10

- 2. The process according to claim 1, wherein said seed crystals are present at about 16% to 24%.
- 3. The process according to claim 1 wherein said coformulants are selected from the group consisting of a surfactant; an antifreeze agent; an antifoam agent; a suspending agent; a thickener; a preservative; a watersoluble pesticide; and a mixture thereof.
- 20 4. The process according to Claim 3 wherein said surfactant is selected from the group consisting of an ethylene oxide/propylene oxide condensate; an alkylarylor arylarylethoxylate; a lignosulfonate; a cresolformaldehyde condensate or a sulfonate thereof; a naphthalene-formaldehyde condensate or a sulfonate thereof; a polycarboxylate or a derivative thereof; and a mixture thereof.
- 5. The process according to claim 3 wherein the surfactant is selected from the group consisting of an alkylarylethoxylate;

 30 a triethanolamine salt or a potassium salt of polyarylarylethoxylate phosphate; a polyarylarylpolyoxyethylene phosphoric acid; a sodium cresol-formaldehyde condensate; a sodium salt of a sulfonated cresol-formaldehyde condensate; and a mixture thereof.

35

- 6. The process according to claim 3 wherein the antifreeze agent is selected from the group consisting of ethylene glycol; propylene glycol; glycerine; urea; and a mixture thereof.
- 40 7. The process according to claim 3 wherein the thickener is selected from the group consisting of clay; precipitated silica; polyvinyl elcohol; polyvinylpyrrolidone; polyacrylamide; and a mixture thereof.
- 45 8. The process according to claim 3 wherein the preservative is selected from the group consisting of a 38% formaldehyde solution; methyl or propyl parahydroxybenzoate; 2-bromo-2-

8

nitropropane-1,3-diol; sodium benzoate; glutaraldehyde; o-phenylphenol; benzisothiazolinone; methyl or ethyl 4-isothiazolin-3one; pentachlorophenol; 2,4-dichlorobenzyl alcohol; and a mixture thereof.

5

- 9. The process according to claim 8 wherein the preservative is a 38% formaldehyde solution.
- 10. The process according to claim 3 wherein the water-soluble pesticide is a water-soluble herbicide.
 - 11. The process according to claim 10 wherein said herbicide is selected from the group consisting of a quaternary salt of an amino phosphonic or phosphinic acid; a substituted phenoxy or benzoic acid salt; an imidazolinone; and a mixture thereof.
- 12. The process according to claim 11 wherein said herbicide is selected from the group consisting of glyphosate; glufosinate; 2,4-D; MCPA; dicamba; imazaquin; imazethapyr; imazapic; imazamox; imazapyr; and a mixture thereof.

25

15

30

35

40

INTERNATIONAL SEARCH REPORT

Intentional Application No PCT/EP 01/09787

A. CLASSI IPC 7	FICATION OF SUBJECT MATTER A01N33/18,25:04)				
According to	o International Patent Classification (IPC) or to both national classifica	ition and IPC			
	SEARCHED				
Minimum do IPC 7	cumentation searched (classification system followed by classification $A01N$	on symbols)			
Documentat	ion searched other than minimum documentation to the extent that so	uch documents are included in the fields search	ched		
Electronic d	ata base consulted during the international search (name of data bas	se and, where practical, search terms used)			
EPO-In	ternal, WPI Data, CHEM ABS Data		.		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to daim No.		
A	US 5 624 884 A (MORGAN LEONARD J 29 April 1997 (1997-04-29) cited in the application column 5, line 9 - line 52	ET AL)	1-12		
			· [
			:		
Furt	ner documents are listed in the continuation of box C.	X Patent family members are listed in a	annex.		
Special ca	tegories of cited documents :	FTF loter decument with lighted offers the light	ational filling data		
"A" docume	ant defining the general state of the art which is not lered to be of particular relevance document but published on or after the international	 "T" later document published after the Interna or priority date and not in conflict with the died to understand the principle or theor invention "X" document of particular relevance; the claim cannot be considered novel or cannot be 	e application but y underlying the med invention		
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O' document referring to an oral disclosure, use, exhibition or document is combined with one or more other such document is combined with one or more other such document.					
P docume	means ent published prior to the international filing date but nan the priority date claimed	ments, such combination being obvious in the art. *&* document member of the same patent far	-		
	actual completion of the international search	Date of mailing of the International search			
2	8 January 2002	04/02/2002			
Name and I	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer			
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Decorte, D			

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internal Application No
PCT/EP 01/09787

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
US 5624884 A	29-04-1997	US	5283231 A	01-02-1994
20 302 100 · A	25 01 2507	US	4875929 A	24-10-1989
		US	4871392 A	03-10-1989
•		US	5679619 A	21-10-1997
•		AT	62373 T	15-04-1991
				15-04-1997
		AT	155318 T	
		AU	594773 B2	15-03-1990
		AU	7335687 A	26-11-1987
		BR	8702668 A	23-02-1988
		CA	1289065 A1	17-09-1991
		DD	265312 A5	01-03-1989
		DD	276023 A5	14-02-1990
		DD	276024 A5	14-02-1990
		DE	3752093 D1	21-08-1997
		DE	3752093 T2	04-12-1997
		DE	3769206 D1	16-05-1991
		DK	8096 A	25-01-1996
		DK	262087 A	24-11-1987
		EP	0249075 A1	16-12-1987
•		EP	0404201 A1	27-12-1990
		ES	2104571 T3	16-10-1997
		FΙ	872296 A ,B,	24-11-1987
		GR	3001751 T3	23-11-1992
		GR	3024152 T3	31-10-1997
		HÜ	44890 A2	30-05-1988
		IE	65110 B1	04-10-1995
		ĪĹ	82641 A	23-12-1990
		ĴP	2574300 B2	22-01-1997
		JP	63033303 A	13-02-1988
		KR	9506920 B1	26-06-1995
			220425 A	26-10-1990
		NZ		17-07-1992
		TR	24880 A	
		TR	23777 A	12-09-1990
		YU	93687 A1	28-02-1989
		ZA	8703750 A	27-01-1988
		ZW	9687 A1	13-07-1988
		AT	92251 T	15-08-1993
		AU	7335787 A	26-11-1987
		BR	8702667 A	23-02-1988
		CA	1287570 A1	13-08-1991
		DD	261081 A5	19-10-1988
		DD	256822 A5	25-05-1988
		DE	3786845 D1	09-09-1993
·		DE	3786845 T2	03-03-1994
		DK	261187 A	24-11 - 1987
		EP	0249770 A1	23-12-1987
		ES	2059322 T3	16-11-1994
		FI	872295 A ,B,	24-11-1987
	•	GR	3008658 T3	30-11-1993
		HK	1001038 A1	22-05-1998